

B

		% of GFP positive cells			
		Med	IL-4	CD40	IL-4+CD40
XF-1		0.5±0.2	1.0±0.3	1.9±0.2	2.7 ± 0.3 (3)
XF-5a		0.7±0.2	2.8±0.4	3.2±0.3	54.3 ± 5.4 (4)
XF-8		0.3±0.1	0.3±0.2	1.5±0.2	7.6 ± 2.3 (8)
XF-2b		0.8±0.3	0.9±0.2	2.8±0.3	3.1 ± 0.6 (4)
XF-2a		0.7±0.2	1.2±0.3	3.2±0.2	3.6 ± 0.7 (3)
XF-6a		0.9±0.3	2.9±0.3	3.8±0.5	28.6 ± 4.2 (4)
XF-6b		0.6±0.2	0.8±0.2	1.2±0.2	3.7 ± 0.7 (3)
XA-1					

FIGURE 1




FIGURE 2




FIGURE 3

[illegible]




FIGURE 5




FIGURE 6





FIGURE 7

FIGURE 7
(CONTINUED)






FIGURE 8





FIGURE 9

FIGURE 10






FIGURE 11

Downloaded from https://www.cambridge.org/core. University of Cambridge, on 01 Dec 2019 at 14:00:00, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/S0022278X00000000




FIGURE 12




FIGURE 13

FIGURE 14

